

**Health Table 330: Depression  
Isumatsassimangaarneq**

		Canada	Greenland	Chukotka	Alaska	Total	
Inuk annilaangasartoq	Naamerluinnaq	52%	61%	12%	50%	48%	Aldrig
	Akuttusumik	23%	19%	25%	27%	23%	Næsten aldrig
	Ilaannikkut	13%	12%	46%	13%	20%	Nogle gange
	Amerlanertigut	6%	5%	16%	6%	6%	Ofte
	Tamatigungajak -	6%	4%	1%	4%	4%	Meget ofte eller hele tiden
	Tamatigut	100%	100%	100%	100%	100%	
Inuk eqqissimasoq	Naamerluinnaq -	7%	9%	5%	10%	7%	Aldrig - næsten aldrig
	Akuttusumik	10%	5%	12%	10%	9%	Nogle gange
	Ilaannikkut	14%	9%	62%	14%	21%	Ofte
	Amerlanertigut	32%	22%	0%	30%	21%	Meget ofte
	Tamatigungajak	37%	55%	21%	35%	42%	Hele tiden
	Tamatigut	100%	100%	100%	100%	100%	
Nikallungarujussuartarned	Naamerluinnaq	40%	53%	13%	30%	39%	Aldrig
	Akuttusumik	27%	23%	16%	29%	23%	Næsten aldrig
	Ilaannikkut	19%	12%	57%	22%	25%	Nogle gange
	Amerlanertigut	9%	5%	13%	13%	8%	Ofte
	Tamatigungajak -	6%	7%	1%	6%	6%	Meget ofte eller hele tiden
	Tamatigut	100%	100%	100%	100%	100%	
Inuk nuannaartoq	Naamerluinnaq -	4%	9%	18%	5%	8%	Aldrig - næsten aldrig
	Akuttusumik	7%	2%	49%	9%	14%	Nogle gange
	Ilaannikkut	15%	12%	26%	12%	15%	Ofte
	Amerlanertigut	36%	30%	0%	33%	27%	Meget ofte
	Tamatigungajak	38%	46%	7%	41%	37%	Hele tiden
	Tamatigut	100%	100%	100%	100%	100%	
Inuk nikallungarujussuar-nerup kinguneranik nuan-naarutissaqqanngitsod	Naamerluinnaq	65%	68%	18%	55%	56%	Aldrig
	Akuttusumik	17%	13%	22%	21%	17%	Næsten aldrig
	Ilaannikkut	9%	5%	49%	12%	16%	Nogle gange
	Amerlanertigut	4%	5%	11%	7%	5%	Ofte
	Tamatigungajak -	4%	9%	1%	6%	6%	Meget ofte eller hele tiden
	Tamatigut	100%	100%	100%	100%	100%	
Beregnet total / Katinneri		19.360	33.610	14.867	8.762	76.599	

Kilde: <http://www.arcticleivingconditions.org> : spørgeskema : spørsmål D49A - D49H

**Health 331: Depression  
Isumatsassimangaarneq**

		Nordgrønland	Diskobugten	Midtgrønland	Sydgrønland	Østgrønland	Grønland	
Inuk anilaangasartoq	Naamerluinnaq	66%	67%	56%	65%	70%	61%	Aldrig
	Akuttusumik	19%	12%	23%	16%	14%	19%	Næsten aldrig
	Ilaannikkut	9%	13%	14%	11%	3%	12%	Nogle gange
	Amerlanertigut	5%	4%	4%	5%	4%	5%	Ofte
	Tamatigungajak -	1%	4%	4%	3%	8%	4%	Meget ofte eller hele tiden
	Tamatigut	100%	100%	100%	100%	100%	100%	
Inuk eqqissimasoq	Naamerluinnaq -	10%	8%	10%	8%	12%	9%	Aldrig - næsten aldrig
	Akuttusumik	6%	5%	5%	2%	6%	5%	Nogle gange
	Ilaannikkut	9%	10%	10%	6%	5%	9%	Ofte
	Amerlanertigut	18%	19%	27%	21%	14%	22%	Meget ofte
	Tamatigungajak	57%	58%	49%	63%	63%	55%	Hele tiden
	Tamatigut	100%	100%	100%	100%	100%	100%	
Nikallungarujussuartarned	Naamerluinnaq	61%	47%	50%	61%	64%	53%	Aldrig
	Akuttusumik	20%	26%	25%	18%	7%	23%	Næsten aldrig
	Ilaannikkut	9%	9%	16%	8%	14%	12%	Nogle gange
	Amerlanertigut	4%	7%	4%	6%	3%	5%	Ofte
	Tamatigungajak -	5%	12%	6%	7%	11%	7%	Meget ofte eller hele tiden
	Tamatigut	100%	100%	100%	100%	100%	100%	
Inuk nuannaartoq	Naamerluinnaq -	16%	8%	10%	5%	7%	9%	Aldrig - næsten aldrig
	Akuttusumik	0%	4%	2%	2%	0%	2%	Nogle gange
	Ilaannikkut	11%	10%	16%	7%	9%	12%	Ofte
	Amerlanertigut	21%	32%	34%	24%	21%	30%	Meget ofte
	Tamatigungajak	52%	46%	38%	61%	63%	46%	Hele tiden
	Tamatigut	100%	100%	100%	100%	100%	100%	
Inuk nikallungarujussuar-nerup kinguneranik nuan-naarutissaqqanngitsod	Naamerluinnaq	65%	72%	65%	73%	73%	68%	Aldrig
	Qaqutigut	16%	13%	14%	13%	6%	13%	Næsten aldrig
	Ilaannikkut	7%	5%	5%	4%	2%	5%	Nogle gange
	Amerlanertigut	9%	4%	4%	3%	4%	5%	Ofte
	Tamatigungajak -	3%	6%	12%	7%	15%	9%	Meget ofte eller hele tiden
	Tamatigut	100%	100%	100%	100%	100%	100%	
Beregnet total / Katinneri		3.791	7.899	15.808	4.555	1.557	33.610	

Kilde: <http://www.arcticleivingconditions.org> : spørgeskema : spørsmål D49A - D49H